


# SPAN



# SPAN



ISO 9001:2015

**Quality you can** build on



# SPAN



## About Span Fasteners

---

**SPAN FASTENERS PVT. LTD.** was established in the year 2005. Our Manufacturing Area is 12000 Sq. Ft. & Ware House Area is 5000 Sq. Ft. We, SPAN FASTENERS PVT. LTD. caters to the rising requirements of diverse industries. It consistently brings out innovatively designed stainless steel, mild steel, and brass products for different usages and applications. We remain committed to ensuring complete customer satisfaction through developing world-class Fastener Products at competitive prices. We strive for quality and procure only the finest raw materials to manufacture our range of products.

We are a renowned manufacturer, exporter, and supplier of stainless steel, mild steel, brass fastener products, hardware, etc. Also, We Are Manufacturing Submersible Pump Spares. These are available in various shapes, colours & sizes and are widely used by multiple industries and household sectors. Established in 2005, our company can provide customers with the best possible solutions that meet their specific requirements. With a spacious and well-equipped warehouse, we maintain a comprehensive stock of our products to offer our customers a perennial supply of goods. Further, our consistent adherence to international quality standards has enabled us to cross many milestones of success, surpassing others in today's fiercely competitive market scenario.

## Stud



DIA	5 mm to 16 mm & ¼ BSW to 5/8 BSW
LENGTH	25 mm to 3000 mm
MATERIAL	MS, SS 410, SS 304, SS 316, B7, 4140

## Allen Cap

DIA	5 mm to 12 mm
LENGTH	10 mm to 60 mm
MATERIAL	SS 202, SS 304, High Tensile



## Hex Bolt



DIA	5 mm to 16 mm & ¼ BSW to 5/8 BSW
LENGTH	10 mm to 150 mm
MATERIAL	MS, SS 202, SS 304 & High Tensile

Sizes can be made according to your requirements

# Our Products

## Nut



TYPES :

Hex Nut, Nylon Lock nut, Square Nut and Flange Nut

SIZE	4 mm to 20 mm & ¼ BSW to 5/8 BSW
MATERIAL	MS, High Tensile, SS 304 & SS 202

## Eye Bolt


TYPES :

Fix Welding Eye Bolt, Forging Eye Bolt, Flexible Ring Eye Bolt

DIA	8 mm to 12 mm & 5/16 BSW to 1/2 BSW
MATERIAL	MS, SS 410, SS 304



## P.C.D. Circle



DIA	50 mm(v3), 60 mm(v4) & 86 mm(v6)
THICKNESS	0.80 mm to 2 mm
MATERIAL	SS 202

Sizes can be made according to your requirements

## Rocker Support



TYPES :

Full Threaded Rocker Support & Forging Rocker Support

DIA	8 mm to 20 mm
LENGTH	20 mm to 50 mm
MATERIAL	SS 410 & MS

## Manhole Artical

1. T - Size

O.D.	5 mm, 6 MM & 8 mm
LENGTH	60 mm x 60 mm & 75 mm x 60 mm

2. Round Hook

O.D.	6mm & 8mm, 5/16 bsw
LENGTH	15mm, 20mm, 35mm

3. C - Hook

O.D.	6 mm
LENGTH	100 mm



## U / J Bolt



O.D.	6 mm to 50 mm
LENGTH	50 mm to 2000 mm

Sizes can be made according to your requirements

# Applications


---



HOME APPLIANCES,  
BUILDING INTERIORS



ROOFING




CHEMICAL  
MACHINERY



ELECTRICAL  
EQUIPMENTS



STRUCTURAL  
PLANTS



ELECTRICAL  
TOWERS



PHARMACEUTICAL  
INDUSTRIES




FOOD & BEVERAGE  
INDUSTRY



MARINE,  
SWIMMING POOL



FURNACES



SOLAR STRUCTURE



INSTALLATION  
OF REFINERIES

# Our Products

## Solar Rooftop J bolt



Material	SS 410, SS 304 and MS
Size	4 mm to 16 mm

## Washer

### 1. Spring Washer

I.D.	4 mm to 16 mm
MATERIAL	High Tensile, MS, SS 202 & SS 304

### 1. Plain Washer

I.D.	10 mm to 50 mm
O.D.	4 mm to 16 mm
MATERIAL	MS, SS 202 & SS 304



## Screw



### SCREW HEAD TYPE AVAILABLE :

Cheese Head, CSK, Button Head, Allen CSK, PAN Phillips, CSK Phillips, Combination with Washer, Grub Screw

DIA	8 mm to 20 mm
LENGTH	20 mm to 50 mm
MATERIAL	SS 410 & MS

## Brass Part

THREAD	5/16 BSW, 1/4 BSP, 1/8 BSP, 3/8 BSP
--------	-------------------------------------




Sizes can be made according to your requirements



Manufactured By :

**SPAN FASTENERS PRIVATE LIMITED**

Survey No 77, Plot No 27, Gel Aai Housing Co Op Society Ltd,  
Mavdi Bypass Road, Rajkot, Gujarat, 360004

 +91 80000 40053

 [www.spanfasteners.com](http://www.spanfasteners.com)

 [sales@spanfasteners.com](mailto:sales@spanfasteners.com)